


EnviroPRODUCTS


A DIVISION OF KAIZEN ENVIRONMENTAL SERVICES



Catalogue

Equipment available for rental and sale





CONTENTS

OVERVIEW

PAGE 3

WHY RENT AN ENVIRO PRODUCT

PAGE 4

STACK EMISSION

PAGES 5 - 8

NOISE MONITORING

PAGES 9 - 10

AQM MONITORING

PAGES 11 - 20

NORMS (RADIATION) AND BENZENE MONITORING

PAGES 21 - 22

IAQ MONITORING

PAGES 23 - 25

ODOROX

PAGES 26 - 31

SOLAR ENERGY EQUIPMENT

PAGES 32 - 33

EMERGENCY HAZMAT RESPONSE

PAGES 34 - 35

DISTRIBUTORSHIP

PAGES 36 - 38

OVERVIEW

The EnviroPRODUCTS Division at Kaizen Environmental Services (Trinidad) Limited provides three distinct areas of environmental equipment and service:

- EnviroPRODUCTS Rental; Sensing / Monitoring Equipment Sales and Rental for detection and data acquisition

A complete selection of Portable and Fixed Gas Detection Systems and leading brand personal Gas Monitors, Noise Monitors, Aerosol and Dust Detection Systems are available. Meteorological Data Collection Systems, Personal Safety Equipment and a selection of water and groundwater tools are also part of Kaizen's product inventory.

- Oil Spill & Emergency Response Equipment and Supplies

Kaizen has a full inventory of Spill Response Equipment and Supplies, including sorbent pads, rolls and booms as well as collection and recovery equipment, for incident response and spill clean-up.

- SPECIALTY PRODUCTS

Containment Liners, Geotechnical Liners/ Material, Oil Skimmers, H₂S Scrubbing Systems - Sulfatreat, Proceptor Oil Separators.

**"Continuous Improvement
Towards Total Quality"**





WHY RENT AN ENVIROPRODUCT?

LONG TERM COST EFFICIENCY. YOU CONTROL PROJECT COST

NO RESPONSIBILITY FOR MAINTENANCE, SERVICE OR TESTING

CATERS TO SHORT TERM EQUIPMENT NEEDS WHILE GAINING ACCESS TO THE MOST UPDATED, TOP OF THE LINE EQUIPMENT

HELPS MEET DEADLINE CRUNCHES

READILY AVAILABLE TO MEET SHORT TERM PRODUCTION INCREASES OR UNEXPECTED PROJECTS

IMMEDIATE ACCESS TO A LARGE INVENTORY OF INSTRUMENTS

THE ASSURANCE OF THE RIGHT INSTRUMENT FOR THE REQUIRED APPLICATION

READY TO USE - CALIBRATED, RECENTLY SERVICED, FULLY CHARGED, WORRY FREE

ALL INSURED - WE HAVE YOUR BACK


TAKE ADVANTAGE OF UP-TO-DATE TECHNOLOGY

TRY BEFORE YOU INVEST, TRY THE TECHNOLOGY AND THE EQUIPMENT BEFORE YOU PURCHASE

GOOD CAPITAL AND CASH FLOW MANAGEMENT - WHY PAY 100% FOR A 10% NEED AND USAGE?

RENTING IS A GOOD INVESTMENT.

STACK EMISSION MONITORING



EnviroPRODUCTS
A DIVISION OF KAIZEN ENVIRONMENTAL SERVICES

EnviroPRODUCTS

A DIVISION OF KAIZEN ENVIRONMENTAL SERVICES

TESTO 350

THE TOTAL SOLUTION FOR EMISSION TESTING AND COMBUSTION ANALYSIS

The 350 emission analyzer - the world's most advanced - provides compliance level accuracy, extreme testing flexibility, and the highest performance. It's no wonder why the testo 350 is chosen by more professionals for emission testing and process monitoring. Simply put, for every combustion application, the 350 analyzer offers a solution. The 350 helps meet the ever increasing demands of regulations and the needs of process efficiency and optimization. Exclusive sensor design, patented sample gas paths, active sample conditioning all come together for a perfect, lightweight, simple-to-use emission monitoring solution. So, whether you are testing for state or EPA compliance, or to troubleshoot and tune your combustion process, the testo 350 will do it with ease.

Designed for the most important application - yours!



- The most accurate sensors for low range NOx (NO & NO2) and CO(0.1 ppm) or swap out for higher range testing
- Superior sample conditioning proven to be effective, convenient, and vital for ultimate accuracy
- Integrated dilution system for extended testing ranges, greater sensor protection and unlimited testing possibilities
- Easy data logging with on-board, user defined, automatic testing programs that can last for minutes or months
- Powerful software options that provide a wealth of information and complete control from your keyboard

TAP HERE TO SEE MORE FEATURES ON YOUTUBE



CLICK HERE



Contact us  


ISOKINETIC SOURCE SAMPLING EQUIPMENT

Apex Instruments Isokinetic Source Sampling Systems are rugged, versatile equipment designed for extracting a representative sample of flue gas. The sample is used to determine particulate & toxic emissions



METHOD 5 SAMPLING TRAIN

The Apex Compact Method 5 Sampler Kit features an independently Heated Stainless Steel Filter Assembly (SFA-82H) that connects directly to a standard Method 5 probe. It does not require a separate heated filter compartment, and utilizes a flexible sample line, and a split umbilical cord with power adapter, to allow sampling in space-limited areas. The standard glass impingers have been replaced with Stainless Steel Impingers (SN-5C) to eliminate the possibility of glass breakage. Three filter assemblies are recommended to speed up the turn around time between consecutive runs.



Schematic of U.S. EPA Method 5 Compact Sampling Train




FLUKE 566 AND 568 THERMOMETER

Just when you thought advanced IR temperature measurement should be easier! With a straight-forward user interface and soft-key menus, the Fluke 566 and 568 make even complex measurements easy.




Quickly navigate and adjust emissivity, start data logging, or turn on and off alarms, with just a few pushes of a button. With a rugged, easy-to-use, ergonomic design, the Fluke 566 and 568 can stand up to tough industrial, electrical, and mechanical environments.

TAP HERE TO SEE MORE FEATURES ON YOUTUBE



CLICK HERE



XE-0523 METHOD 5 PUMP

The Lubricated Rotary Vane Pump includes a 4-foot power cord and two kink-free hoses with non-reversible quick connects. The pump is mounted in our rugged and lightweight roto-molded low-density polyethylene (LLDPE/LMDE) case with removable covers providing easy access for service. The wick style lubricator requires less maintenance than other lubricator systems.

Contact us



Noise Monitoring



EnviroPRODUCTS
A DIVISION OF KAIZEN ENVIRONMENTAL SERVICES

PULSAR NOISE METER MODEL 44


The Premium Class 1 Environmental noise meter in the Pulsar Nova range (Model 45).
Meets UK and EU regulations for noise assessments

Features

- Integrating averaging sound level meter
- Leq, Peak and C-A (for hearing protection calculation)
- Pause & back erase function
- 20 dB(A) to 140 dB(A) & 143 dB(C) range
- Data Logging and AnalyzerPlus software
- Audio recording, Audio Note, and Automatic Timers



TAP HERE TO SEE MORE FEATURES ON YOUTUBE



CLICK HERE



Contact us  



Air Quality Monitoring

PUF AMBIENT AIR SAMPLER

The PUF sampler is a polyurethane foam sampler used for the collection of volatile organic compounds and particulates. The PUF sampler utilizes a dual sampling module to collect airborne particulate as well as ambient semi volatile organic compounds. The VOC'S are trapped in the polyurethane foam substrates which are collect and sent to a laboratory for further analysis.




MFC PM10 AMBIENT AIR SAMPLER

The TE-6070 is a high volume ambient PM10 air sampler featuring a mass flow controller (MFC) for accurate and consistent particulate sampling. The mass flow controller adjust the motor speed as the filter media collects particulate to maintain a constant flow rate throughout the entire sample duration. The system utilizes a stainless steel filter holder for use with standard 8" x 10" filter paper.



PM2.5 MFC AMBIENT AIR SAMPLER



The TE-6070-2.5 is a high volume ambient PM2.5 air sampler featuring a mass flow controller (MFC) for accurate and consistent particulate sampling. The mass flow controller maintains a steady flow rate to ensure the system collects an accurate and representative sample.

MINI VOL POTABLE AIR SAMPLER

Cost Effective Ambient Air Sampling The MiniVol™ TAS offers a versatile, cost effective solution for monitoring ambient air particulate matter. Compact, lightweight, and battery-operated, the MiniVol™ TAS is ideal for sampling air quality in remote locations or areas where no permanent site has been established.



Contact us  

CROWCON DETECTIVE 4-GAS MONITOR

Detective+ is a multi-gas temporary area monitor for use in turnaround/shutdown procedures, hot work maintenance, confined space entry work and many other utility, construction and oil and gas industry applications.

Go solo or link together using Detective Net or cables to form a perimeter, Detective+ gives a loud and clear alarm providing effective warning of gas hazards. The rugged, water and impact resistant design make Detective+ the ideal choice for your transportable gas detection needs.

VERSATILE AND USER FRIENDLY

- Infrared Sensors Available - allows sampling of highly flammable gas levels and carbon dioxide. They are also unaffected by poisoning and have a very fast response time.
- Built-In Pump Option - provides sampling versatility
- Built-In Display - provides clear information and allows identification of gas hazard



TAP HERE TO SEE MORE FEATURES ON YOUTUBE



CLICK HERE

THERMO CO ANALYSER

The Thermo Scientific™ Model 48i Carbon Monoxide (CO) Analyzer utilizes gas filter correlation technology to measure the amount of carbon monoxide in the air.

The Model 48i Analyzer is based on the principle that carbon monoxide (CO) absorbs infrared radiation at a wave length of 4.6 microns. Because infrared absorption is a nonlinear measurement technique, it is necessary for the instrument electronics to transform the basic analyzer signal into a linear output.



THERMO NO ANALYSER

Measure levels of nitrogen oxide (NO-NO₂-NO_x) in the emissions from a source using chemiluminescent technology with the Thermo Scientific™ Model 42i NO-NO₂-NO_x Analyzer.

THERMO H₂S/SO ANALYSER

Measure the levels of H₂S and SO₂ in ambient air with the Thermo Scientific™ Hydrogen Sulfide - Sulfur Dioxide Analyzer Model 450. This analyzer features pulsed fluorescence technology, and performs simultaneous measurement readings to provide reliable data capture on a constant basis.

Contact us  

AEROQUAL SERIES 500 METER

Portable Air Quality Monitors



What are they for?

- Environmental impact assessments
- Indoor air quality testing
- Checking air pollution “hot spots”
- Educational tool for schools
- Community air pollution monitoring
- Validating air quality models
- Health and safety compliance
- Personal exposure monitoring

MUTLIRAE-5/6 GAS METER

Wireless Portable Multi-Gas Monitor

The MultiRAE Lite is the optimal one-to-six -gas monitor for personal protection and leak detection applications. The MultiRAE Lite is available in pumped and diffusion versions and features the broadest selection of sensor options in its class. The MultiRAE Lite can be configured to exactly meet the detection needs and compliance requirements of various countries, industries, and applications.

Applications

- Personal protection and multi-gas leak detection in industries such as:
 - Chemical
 - Food and beverage
 - Oil and gas (downstream)
 - Pharmaceutical
 - Telecommunications
 - Wastewater treatment
- Fire overhaul



Impingers (Two)

Impingers, sometimes known as bubblers, are small bottles used with an air sample pump to collect airborne hazards into designated collection liquids for analysis. For personal exposure measurement the impinger mounts in a holster accessory near the breathing zone. For area monitoring the impinger is mounted on the side of a pump with a holder accessory.



BUCK Libra Plus™ LP-12 Personal Air Sampler



Consists of a pump contained in a high impact steel fiber filled Lexan, antistatic, and RFI/EMI-shielded case, exclusive electronic circuit board (patent pending) for constant flow control, an LCD display with 2 lines of 16 characters, a double diaphragm pump mechanism and a rechargeable NiMH battery pack.

The purpose of this pump is to draw air contaminants in through a sampling media such as 25, 37, and 47mm filter cassettes, to gauge personnel exposure to particulates, aerosols, and mold.

Contact us  

BUCK BioAire™ Model B520

Compact, lightweight 5-20 LPM controlled flow sampling pump for bioaerosol sampling with Allergen co-D and Air-O-Cell® cassettes. The easy, full control keypad lets you perform unattended time programmed (1, 2, 5, or 10 minute) samples, perform easy calibrations without tools, or perform manual timed sampling at the touch of a button.



- Small, lightweight, compact
- Accepts Allergen co-D and Air-O-Cell® Cassettes
- Battery powered, recharge or operate with standard charger/adaptor or optional Fast One™ charger (provides one-hour charging)
- Five hour* run time at 15 LPM
- Convenient timer for 1, 2, 5, 10 minute samples and Continuous Mode
- End-of-cycle audible & visual
- Easy keypad calibration without tools

Contact us  

AEROQUAL AQM65

Near reference real-time monitor for multiple gases plus particular fractions.

The AQM 65 is a fully integrated, temperature controlled air quality monitoring station.



- Reduce site visits using two-way communications - remote trouble shooting, upgrade software, change settings and calibrate
- Plug in all your devices - noise, weather, reference monitors - to the AQM 65 and view data in one software
- Enables automatic scheduling of calibrations with optional integrated calibration system
- Respond in real-time via configurable email / sms alerts

Air quality data – anywhere, anytime

- A continuous ambient air quality Monitoring system
- Simultaneous gas, particulate and Environmental data
- View data remotely in real-time on PC, tablet, or phone
- Fully integrated system installed and supported by a global service network

Who needs it?

- National and local government
- Environmental agencies
- Transport authorities
- Industrial operators
- Air quality consultants
- Air quality researchers
- Public facilities (schools, hospitals, parks)




A customized, fully integrated monitoring system

- **Urban And national air pollution monitoring** - CO, NO₂, O₃, SO₂, PM_{2.5}, wind speed and direction, temp/RH, pressure, rain
- **Industrial perimeter monitoring** - SO₂, H₂S, VOC, PM₁₀ / PM_{2.5}, wind speed and direction
- **Transportation monitoring** - NO₂, SO₂, VOC, PM_{2.5}, wind speed and direction
- **Public nuisance monitoring** - H₂S, TSP, noise, wind speed and direction
- **Research / Consulting** - CO, CO₂, NO₂, NO_x, O₃, SO₂, H₂S, VOC, TSP, PM₁₀, PM_{2.5}, PM₁, noise, solar radiation, wind speed and direction, temp/RH, pressure, rain
- **Parks / Open spaces** - O₃, CO, CO₂, NO₂, PM₁₀, PM_{2.5}, solar radiation, wind speed and direction, temp/RH, pressure, rain



Contact us  




Norms(Radiation) and Benzene Monitoring Equipment

EnviroPRODUCTS
A DIVISION OF KAIZEN ENVIRONMENTAL SERVICES


Tracerco T201 Radiation Meter

The T201 is the very first Intrinsically Safe* contamination monitor. It is the ultimate lightweight, practical hand held monitor; so much easier to use and carry than the traditional hand held radiation monitors

- Intrinsically safe so no need for a hot work permit
- Reads and records peak measurement so you can measure radiation levels remotely
- Detachable probe with 1.5 metres of cable
- Use in all weathers and shock proof
- Alerts you when it needs to be calibrated
- Adjust your own alarms
- Lightweight, making it easy to carry and maneuver
- Large and easy to read display



TAP HERE TO SEE MORE FEATURES ON YOUTUBE



CLICK HERE

Contact us  

A hand in a striped sweater sleeve is shown opening a window. The window looks out onto a balcony with a wooden railing, green foliage, and a building with a grey roof. String lights are visible in the background. The scene is brightly lit, suggesting daytime.

Indoor Air Quality Monitoring

EnviroPRODUCTS
A DIVISION OF KAIZEN ENVIRONMENTAL SERVICES

Metone Aerosol Mass Monitor

The Aerocet 831 is a completely portable, full-featured, battery operated, hand-held mass monitor. A mass monitor that simultaneously provides five important mass ranges (PM1, PM2.5, PM4, PM10 & TSP) in one minute from start up



Applications

- HVAC Applications
- Industrial/Occupational Hygiene
- Indoor Air Quality

Key Features

- Five Mass Ranges (PM1, PM2.5, PM4, PM10 and TSP)
- Handheld Operation
- Simple Operation
- Sample History
- Battery Powered

QUESTemp Heat Stress Monitors

Simplify your heat stress management with the intuitive QUESTemp Series Heat Stress Monitors™. These monitors measure parameters including temperature and relative humidity, and compute the Wet Bulb Globe Temperature (WBGT)



Features and Benefits

- Utilizes WBGT sensing technology; the standard for heat stress management
- Proven traditional wet bulb sensing technology available on QUESTemp models 32, 34 and 36
- Waterless wet bulb QUESTemp models 44, 66, 48N eliminate daily maintenance
- Convenient stay time parameters per multiple standards help determine work-rest ratios
- IP 54 ingress rating helps protect unit from exposure to dirt, dust, oil and water
- Designed to withstand the rigors of everyday use in demanding environments

Contact us  

Heavy Duty CFM Metal Vane Anemometer



Features

- Display Air Flow (CFM) or Air Velocity plus Temperature simultaneously
- Air Flow displayed in 3 modes:— Instantaneous value— Up to 20 point average— 2/3 flow value
- Super large (9999 count) LCD display
- 2% velocity accuracy via low friction ball bearing vane wheel on 39" (1m) cable
- Record/Recall MIN, MAX readings
- Data Hold plus Auto power off
- 9V battery power or optional AC adaptor

MIRAN SapphiRe

The Thermo Scientific MIRAN SapphiRe Portable Ambient Analyzer is a family of portable, lightweight infrared instruments that can monitor ambient air in workplace environments for the purpose of detecting the presence of gases.



Features

- Exclusive wavelength generator filter design
- Library of up to 121 components
- Sensitive for sub-ppm detection
- Versatile and upgradable
- Lightweight and portable

Contact us  

ODOROX



KAIZEN Environmental Services Limited, is the sole regional distributor of the Pyure Company's Odorox air purification units



Permanently install for treatment of large volume areas.

Eradicate noxious odors, chemical fumes, gases and vapors.

GREEN TECHNOLOGY AT WORK

ODOROX Hydroxyls Generators

Manufacture what the sun produces naturally

Hydroxyls (HO•) are naturally occurring molecules that are created in our atmosphere when the sun's ultraviolet rays react with water vapor.

Advantages

- Wastewater / Sewage Treatment Facilities
- Trash Transfer Stations
- Rendering Plants
- Breweries
- Municipal Solid Waste
- Chemical Manufacturing
- Oil / Petrochemical Refineries
- Industrial / Diesel Exhaust
- Pulp and Paper Mills
- Composting Facilities
- Aeration Ponds
- Containment Buildings
- Recycling Facilities
- Lift Stations
- Sludge and Slurry Handling

Advantages

Due to the safety and effectiveness of the hydroxyl molecule, industrial companies are achieving unprecedented competitive advantages

- ODOROX® systems provide a complete customized solution for your worst odor problem
- Total elimination of contaminants - produces no harmful by-products or materials that require further treatment
- Low operation and maintenance cost
- ODOROX® system does not require any chemicals or disposal of contaminated odor absorption media.
- Designed to be operated in occupied areas
- Small footprint installation - ODOROX® equipment is easily adaptable so it can be retrofitted into existing plants



ODOROX BOSS XL3

The Odorox® BOSS XL3™ is The right choice for large area odor control resulting from fires, flooding, sewer backup contamination, toxic odors and chemical spills. This unit is designed for use with your existing air mover.

The Boss XL3™ will provide a heavy concentration of Odorox® hydroxyls to treat large areas affected by fire and smoke, flood, nicotine, grey/black water, decomposition, mold, sewage, chemical spills/off gassing and any other odor problem you may encounter. This unit allows you to decontaminate and deodorize while you dry because it joins directly to your existing air movers. The BossXL3™ is equipped with a selector switch for 2or 3 Odorox® hydroxyl generating optics and operates using only 1.6 Amps.



ODOROX Decon Scrubber

The ODOROX® DECON™ SCRUBBER is the right choice for removal and decontamination of large volumes of particulate and pollutants from the air.

The Odorox® Decon™ Scrubber is finely tuned to eliminate odors and particulates associated with bacterial, viral and mold contamination. The Odorox® Decon™ Scrubber is designed for removal of large amounts of smoke, ash, animal dander and pollen. The Decon™ Scrubber will also remove odors caused by incinerated/burnt plastics, organic matter, and chemicals. This unit is wheeled for mobility and works well in medium to large commercial facilities like hospitals, clinics, schools, offices, prisons, manufacturing & agricultural facilities, and is ideal for disaster restoration firms.



Ideal for:

HOSPITALS



OFFICES

SCHOOLS



MANUFACTURING



ODOROX HAC06

The Odorox HAC06 (Hydroxyl Air curtain) unit is used to eliminate odors, bacteria, viruses, VOC's, off gassing and mold contamination.

It is ideal for commercial, institutional, veterinary or hospitality use. It is equipped with switch selectable 2,3,4,5, or 6 Hydroxyl generating optics. The unit is designed for continuous operation to blanket your odor source.



ODOROX IDU

THE IDU™ (Induct disinfectant unit) is used to eliminate odors, bacteria, viruses, VOC's, off gassing and mold contamination

It is ideal for medical, clinical, institutional, veterinary, hospitality or residential use. It is equipped with a selector switch for 1or 2 hydroxyl generating optics. The unit is designed for continuous operation. It is excellent for the chemically sensitive or medically compromised individual. It is excellent for the control and removal of allergens.

Ideal for:



ODOROX MDU

THE MDU (Mobile Disinfection Unit) is the right choice for medical, clinical, institutional, veterinary or hospital use.



The Mobile Disinfection Unit is finely tuned to treat odors associated with bacterial, viral and mold contamination. The Odorox® MDU™ is designed to decontaminate up to a 2000 sq ft. space. It is equipped with a selector switch for 1 or 2 Odorox® hydroxyl generating optics, variable speed fan control, hour meter and a washable filter. The variable speed built in fan is adjustable from approximately 250 to 500cfm and operates using only 1.9 Amps. The Odorox® MDU™ is the perfect unit to operate continuously to neutralize and disinfect your environment.

ODOROX OASIS

THE Odorox Oasis is the right choice for residential applications. The Oasis is designed so that it can be permanently installed to a HVAC system.

The Odorox® Oasis™ is finely tuned to treat residential odors as well as bacterial, viral and mold contamination. It is equipped with one Odorox® hydroxyl generating optic and a washable filter. It has a built-in fan that is adjustable from approximately 250 to 500cfm, and it operates using only 1.4 Amps. It is an ideal unit to continuously neutralize musty smells, cooking odors, light cigarette smoke, pet odors and decontaminate biological pathogens as it can operate 24 hours a day, 7 days a week. It is excellent for the control and removal of allergens



Ideal for:

CLINIC



INSTITUTIONAL




OFFICE

Contact us  

ODOROX SANX

The Odorox Sanx is the right choice for office or residential use.

The SanX™ unit is finely tuned to treat allergens, mold, mildew and bacterial odors typically found in public spaces within enclosed buildings. It is the perfect choice for long term care facility usage, commercial offices/cubicles, and residential homes or apartments. Because of its compact size and light weight, the SanX™ can travel with you for use in your hotel or in your vehicle.



ODOROX Slimline

The Odorox Slimline is the right choice for medical, clinical, institutional, commercial or residential use.

The Slimline™ unit is finely tuned to treat bacteria, allergens, viruses, and chemicals commonly associated with Sick Building Syndrome. The unit is ideal for medical offices, long term care facility usage, commercial offices, and residential homes or apartments. The unit is designed to decontaminate up to a 1000 sq-ft. of space. The variable speed built in fan is adjustable from approximately 100 to 400 cfm and operates using only 1.4 Amps.



Ideal for:





Solar Energy Equipment

All in one

Solar LED street light 975,000 UGX – 5,500,000 UGX

ALL IN ONE design, integrated with solar panel, battery and controller.

A highly profitable solution, lower labor cost and initial investment. The mono solar panel guarantees a photoelectric conversion efficiency of 21%.

Fully recyclable LiFePO4 batteries are half the weight and half the weight of general lithium batteries, but have 10 times the cycle life.

The smart PWM/MPPT controller is integrated with a PIR sensor that controls the light output as full brightness or half brightness in DIM mode.

3-7 days duration on rainy days, 3 years warranty and maintenance free.

The battery is lithium iron phosphate (LiFePO4). It can resist very high temperatures and has a very long service life. Normally it can be used for 5-10 years.

This is our best quality all-in-one solar LED street light. Its advantages are fast charging, long backup time, high brightness and long lifespan.

For the lighting source, we use Philips brand super bright SMD3030 LED chips and manufacture them with a modular design. With this design, the whole light can contain more LED chips, so its lumen can be much larger. And each module works independently. If one module fails, it will not affect the other modules.



A photograph showing an emergency HAZMAT response in a tropical setting. Several workers in white protective suits and red vests are gathered on a shoreline, working with yellow containment booms in the water. The background is filled with lush greenery and palm trees. In the foreground, a large, dark, cylindrical object, possibly a pipe or part of a containment system, is visible.

Emergency HAZMAT Response

EnviroPRODUCTS
A DIVISION OF KAIZEN ENVIRONMENTAL SERVICES

Containment Booms

Approximately 10,000ft, solid flotation and inflatable booms for near shore and offshore containment operations along with supporting anchors and buoy systems .

Pumps

A variety of pumps for transfer of liquids, including diaphragm pumps and trash pumps. Diesel and pneumatic driven. Associated hose packages with each pump.

Skimmers and Power packs

Skimmers powered by pneumatics and hydraulics. includes disc skimmers, brush skimmers and interchangeable skimmers, for capture of oil of ranging viscosities.

Dispersant Spray Systems

Portable dispersant spray systems for operation from vessels of opportunity. Capable of neat or diluted dispersant application.

Spray Systems

Applicators, Mist blowers and Backpack sprayers for application oil treating chemicals and dispersants during response operations.

Dispersants and Oil Treating Chemicals

Over 2000 litres, Ministry approved dispersant and related chemicals for spray application for both offshore and near shore response operations. Includes Dispersit, Corexit, EC101 and degreasers.



EnviroPRODUCTS

A DIVISION OF KAIZEN ENVIRONMENTAL SERVICES

OUR DISTRIBUTORSHIP



pulsar
Instruments Plc



Met One
Instruments, Inc.



DEXSIL

aeroqual

BIOBASE


SUNMASTER

SOME OF OUR CHANNEL PARTNERS

aeroqual Leader in cost effective air quality monitoring equipment for indoor and outdoor pollution, and home of the world's best ozone sensor.

CALGAZ™ The global leader in specialty calibration gases: Full-range of gas and cylinder offerings for safety, marine, hygiene, and health.

pulsar
Instruments Plc Sound level meters, noise meters, noise dosimeters and noise-activated warning signs from Pulsar Instruments in the UK. Our world class noise measuring equipment are ideal for Health and Safety Professionals around the world who want to carry out workplace noise assessments and comply with Noise at Work regulations.



Has created cutting edge ultra violet hydroxyl generating technology which has been at the forefront of high volume odor processing, air-decontamination and air-purification for the past decade.

DEXSIL Test kits for detection of contaminants in water, oil, and soil. Dexasil products take sophisticated analysis and detection out of the laboratory and into the field, saving our customers time and money, while safeguarding expensive equipment and preserving our environment

BIOBASE Specializes in products of 8 areas including medical diagnosis, biosafety protection, disinfection and sterilization, water purification system, infant care products, cold chain products, software products, clean room projects.

Met One
Instruments, Inc. Provides reliable, affordable, precision instrumentation for monitoring ambient and indoor air quality.

EnviroPRODUCTS
A DIVISION OF KAIZEN ENVIRONMENTAL SERVICES

SOME OF OUR CHANNEL PARTNERS



SUNMASTER Specializes in supplying solar street lights, solar garden lights, wind & solar hybrid lights, small & medium solar generating systems, solar home lighting systems and solar pump systems etc.



Is the market leader for laboratory glassware and microwavable kitchenware. The BOROSIL® brand represents quality, accuracy and dependability among all leading pharmaceutical companies, R&D labs scientific, health and educational institutions.



EnviroPRODUCTS
A DIVISION OF KAIZEN ENVIRONMENTAL SERVICES

EnviroPRODUCTS

A DIVISION OF KAIZEN ENVIRONMENTAL SERVICES

EnviroPRODUCTS is your preferred choice for the purchase and rentals of environmental quality monitoring and sampling instruments.



KAIZEN
ENVIRONMENTAL SERVICES (TRINIDAD) LIMITED
aaroopchan@kaizen-tt.com

Scan this QR code and contact me directly. I am ready to assist you!

Ammar Roopchan
Regional Sales Manager

+1 (868) 299-8833
+1 (868) 299-0009 ext 243

Unit # 8, Rajkumar Street, Mission Road, Freeport, Trinidad, W.I.

KAIZEN Group of Companies



KAIZEN
ENVIRONMENTAL SERVICES (TRINIDAD) LIMITED
abhagwat@kaizen-tt.com

Scan this QR code and contact me directly. I am ready to assist you!

Andy Bhagwat
Operations Manager
Enviroproducts Division

+1 (868) 310-0737
+1 (868) 299-0009 ext 218

Unit # 8, Rajkumar Street, Mission Road, Freeport, Trinidad, W.I.

Continuous Improvement Towards Total Quality



Kaizen Environmental Services(Trinidad) Limited

**Unit 8. Rajkumar Street,
Mission Road, Freeport.**

P:(868) 299-0009

Inquiries@kaizen-tt.com

www.kaizen-tt.com



"Continuous Improvement Towards Total Quality"